Annex B: Lot specification

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
1	Agricultural Crops Production NC I	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)
1	Agricultural Crops Production NC I	2	Sprinkler	 7.6 liter plastic watering container high-density polyethylene shock resistant material 13 1/2 inches (342.9 mm) height 	N/A	N/A	N/A	1	pc(s)
1	Agricultural Crops Production NC I	3	Scientific Calculator	STAT DATA Editor 240 functions 12 digit x two-line display Battery and solar powered Hard Slide Case	6 months	N/A	N/A	1	pc(s)
1	Agricultural Crops Production NC I	4	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
1	Agricultural Crops Production NC I	5	Rake	metal garden rake 14 teeth 1.06 meters long aluminum handle	N/A	N/A	N/A	1	pc(s)
1	Agricultural Crops Production NC I	6	Pick Mattock	 steel head 3.4 kg. weight 36 inches long wooden handle 	N/A	N/A	N/A	1	pc(s)
2	Agricultural Crops Production NC II	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)
2	Agricultural Crops Production NC II	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
2	Agricultural Crops Production NC II	3	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment	N/A	N/A	N/A	1	pc(s)
2	Agricultural Crops Production NC II	4	Pruning Shear	Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size	N/A	N/A	N/A	1	pc(s)
3	Agricultural Crops Production NC III	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
3	Agricultural Crops Production NC III	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
3	Agricultural Crops Production NC III	3	Hedge Shear	heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight	N/A	N/A	N/A	1	pc(s)
3	Agricultural Crops Production NC III	4	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment	N/A	N/A	N/A	1	pc(s)
4	Animal Health Care and Management NC	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)
4	Animal Health Care and Management NC III	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
4	Animal Health Care and Management NC III	3	Semen Storage Box	plastic cooler/jug handy grip design 1.9L capacity wide mouth top	N/A	N/A	N/A	1	pc(s)
4	Animal Health Care and Management NC	4	Forcep	Stainless 5.5" long, straight kelly forcep	N/A	N/A	N/A	1	pc(s)
4	Animal Health Care and Management NC	5	Ear Notcher	Small V-shape blade; stainless	N/A	N/A	N/A	1	pc(s)
4	Animal Health Care and Management NC III	6	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	N/A	N/A	N/A	1	pc(s)
5	Animal Production (Poultry-Chicken) NC II	1	Pail	 10 liters capacity Plastic 320 mm Height 350 mm Diameter 677 grams weight 	N/A	N/A	N/A	1	pc(s)
5	Animal Production (Poultry-Chicken) NC II	2	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)



Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
5	Animal Production (Poultry-Chicken) NC II	3	Semen Storage Box	plastic cooler/jug handy grip design 1.9L capacity wide mouth top	N/A	N/A	N/A	1	pc(s)
5	Animal Production (Poultry-Chicken) NC II	4	Reusable Veterinary Syringe	 Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity 	N/A	N/A	N/A	1	pc(s)
5	Animal Production (Poultry-Chicken) NC II	5	Brooder/ Heater Lamp	 45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug 	N/A	N/A	N/A	1	set(s)
6	Animal Production (Ruminants) NC II	1	Reusable Veterinary Syringe	 Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity 	N/A	N/A	N/A	1	pc(s)
6	Animal Production (Ruminants) NC II	2	Knapsack Sprayer	Semi-automatic sprayer16 liter capacityStainless Steel	N/A	N/A	N/A	1	set(s)
6	Animal Production (Ruminants) NC II	3	Scientific Calculator	STAT DATA Editor 240 functions 12 digit x two-line display Battery and solar powered Hard Slide Case	6 months	N/A	N/A	1	pc(s)
6	Animal Production (Ruminants) NC II	4	Shovel	 Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle 	N/A	N/A	N/A	1	pc(s)
6	Animal Production (Ruminants) NC II	5	Ear Notcher	Small V-shape blade; stainless	N/A	N/A	N/A	1	pc(s)
7	Animal Production (Swine) NC II	1	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	N/A	N/A	N/A	1	pc(s)
7	Animal Production (Swine) NC II	2	Ear Notcher	Small V-shape blade; stainless	N/A	N/A	N/A	1	pc(s)
7	Animal Production (Swine) NC II	3	Forcep	Stainless 5.5" long, straight kelly forcep	N/A	N/A	N/A	1	pc(s)
7	Animal Production (Swine) NC II	4	Semen Storage Box	 plastic cooler/jug handy grip design 1.9L capacity wide mouth top 	N/A	N/A	N/A	1	pc(s)
7	Animal Production (Swine) NC II	5	Knapsack Sprayer	Semi-automatic sprayer16 liter capacityStainless Steel	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
7	Animal Production (Swine) NC II	6	Scientific Calculator	STAT DATA Editor 240 functions 12 digit x two-line display Battery and solar powered Hard Slide Case	6 months	N/A	N/A	1	pc(s)
8	Aquaculture NC II	1	pH meter	 Ph range from 0-14 large multi-level LCD which displays both pH and temperature readings simultaneously An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements Temperature can be set to display in °C or °F The LCD screen has stability and calibration tag indicators The battery percent level is displayed at start up alerting the user to the remaining battery power that is available. 	N/A	N/A	N/A	1	pc(s)
8	Aquaculture NC II	2	Scoop net	 net material: nylon size detail: handle length: 2.7 cm/10.63 inch net size: 20 x 18 cm / 7.87 x 7.07 inch net depth: 20 cm / 7.87 inch total length: 47 cm / 18.50 inch 	N/A	N/A	N/A	1	pc(s)
8	Aquaculture NC II	3	Drawing instruments	 compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry geometry tools, special suitable for school teaching use size 11.5 cm x 2 cm x 0.6 cm package included: transparent box + silver metal compass stand tall + lead refill 	N/A	N/A	N/A	1	set(s)
8	Aquaculture NC II	4	Scientific Calculator	 STAT DATA Editor 240 functions 12 digit x two-line display Battery and solar powered Hard Slide Case 	6 months	N/A	N/A	1	pc(s)
9	Fish Capture NC II	1	Spray gun	600 cc capacity gravity type Heavy duty Material: Alloy Steel	N/A	N/A	N/A	1	pc(s)
9	Fish Capture NC II	2	Grinder	 Angle grinder Powerful 670 Watts input power Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz 	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
9	Fish Capture NC II	3	Electric Hand Drill	Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm	6 months	N/A	N/A	1	pc(s)
10	Horticulture NC III	1	Hedge Shear	 heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight 	N/A	N/A	N/A	1	pc(s)
10	Horticulture NC III	2	Rake	 metal garden rake 14 teeth 1.06 meters long aluminum handle 	N/A	N/A	N/A	1	pc(s)
10	Horticulture NC III	3	Pruning Saw	12 inches curved carbon steel blade wooden handle	N/A	N/A	N/A	1	pc(s)
10	Horticulture NC III	4	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment	N/A	N/A	N/A	1	pc(s)
10	Horticulture NC III	5	Pruning Shear	Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size	N/A	N/A	N/A	1	pc(s)
10	Horticulture NC III	6	Sprinkler	7.6 liter plastic watering container high-density polyethylene shock resistant material 13 1/2 inches (342.9 mm) height	N/A	N/A	N/A	1	pc(s)
11	Landscape Installation and Maintenance (Softscape) NC II	1	Rake	metal garden rake14 teeth1.06 meters long aluminum handle	N/A	N/A	N/A	1	pc(s)
11	Landscape Installation and Maintenance (Softscape) NC II	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
11	Landscape Installation and Maintenance (Softscape) NC II	3	Hedge Shear	heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
11	Landscape Installation and Maintenance (Softscape) NC II	4	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment	N/A	N/A	N/A	1	pc(s)
11	Landscape Installation and Maintenance (Softscape) NC II	5	Pruning Shear	Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size	N/A	N/A	N/A	1	pc(s)
11	Landscape Installation and Maintenance (Softscape) NC II	6	Pole Pruner	Fiber Glass Pole3kg weight16ft long15inches Saw length	N/A	N/A	N/A	1	pc(s)
12	Organic Agriculture Production NC II	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)
12	Organic Agriculture Production NC II	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
12	Organic Agriculture Production NC II	3	Rake	 metal garden rake 14 teeth 1.06 meters long aluminum handle 	N/A	N/A	N/A	1	pc(s)
12	Organic Agriculture Production NC II	4	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head	N/A	N/A	N/A	1	pc(s)
13	Pest Management (Vegetables) NC II	1	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel	N/A	N/A	N/A	1	set(s)
13	Pest Management (Vegetables) NC II	2	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
13	Pest Management (Vegetables) NC II	3	Rake	 metal garden rake 14 teeth 1.06 meters long aluminum handle 	N/A	N/A	N/A	1	pc(s)
13	Pest Management (Vegetables) NC II	4	Hole Digger	 Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment 	N/A	N/A	N/A	1	pc(s)
14	Rice Machinery Operations NC II	1	Vise grip	7" straight jaw Hard steel	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
14	Rice Machinery Operations NC II	2	Pliers	Nickel Plated Pliers Long nose combination Side cut pliers Inches product size Jon grams weight	N/A	N/A	N/A	1	pc(s)
14	Rice Machinery Operations NC II	3	Electric Hand Drill	Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm	6 months	N/A	N/A	1	pc(s)
14	Rice Machinery Operations NC II	4	Grinder	Angle grinder Powerful 670 Watts input power Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz	N/A	N/A	N/A	1	set(s)
15	Rubber Production NC	1	Shovel	 Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle 	N/A	N/A	N/A	1	pc(s)
15	Rubber Production NC	2	Knapsack Sprayer	Semi-automatic sprayer16 liter capacityStainless Steel	N/A	N/A	N/A	1	set(s)
15	Rubber Production NC	3	Rake	metal garden rake 14 teeth 1.06 meters long aluminum handle	N/A	N/A	N/A	1	pc(s)
15	Rubber Production NC	4	Hole Digger	Blade: 6 inches length x 6.5 inches width 48 inches handle length soft-cushion grip double bolt through head attachment	N/A	N/A	N/A	1	pc(s)
16	Automotive Body Painting/Finishing NC I	1	Spray Gun	400 cc cup/minimum of 50 psi operation pressure 180-250 paint width Gravity type spray	N/A	N/A	N/A	1	pc(s)
16	Automotive Body Painting/Finishing NC I	2	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
16	Automotive Body Painting/Finishing NC I	3	Buffing machine	Variable Speed Control: 0-2500 rpm Disc diameter: 180mm 220 volts/ 60Hz 1300 watts	6 months	N/A	YES	1	set(s)
17	Automotive Body Painting/Finishing NC II	1	Socket wrench	1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod	N/A	N/A	N/A	1	pc(s)
17	Automotive Body Painting/Finishing NC II	2	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
18	Automotive Body Repairing NC II	1	Tin Snip, Straight	12" metal cutting Forged steel	N/A	N/A	N/A	1	pc(s)
18	Automotive Body Repairing NC II	2	Screwdriver Set	• 4 pieces per set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium	N/A	N/A	N/A	1	set(s)
18	Automotive Body Repairing NC II	3	Electric Hand Drill	Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm	6 months	N/A	N/A	1	pc(s)
18	Automotive Body Repairing NC II	4	Riveter	Heavy Duty Steel 3 nose pieces for 1/8, 5/32 and 3/16 inch rivets	N/A	N/A	N/A	1	pc(s)
19	Automotive Electrical Assembly NC II	1	Socket Wrench	 Drive: ½" Socket points: 6 points Socket diameter(s): 10 mm to 32 mm Ratchet handle length: 250 mm Sliding T bar length: 300 mm Extension bar length: 250 mm Universal joint length: 2-3/4" 	N/A	N/A	N/A	1	pc(s)
19	Automotive Electrical Assembly NC II	2	Impact Driver	 8 pieces Material: Tempered Chrome Vanadium Steel Reversible (Clockwise & Counterclockwise) Drive: 3/8" Overall length: 155 mm 	N/A	N/A	N/A	1	set(s)
19	Automotive Electrical Assembly NC II	3	T-Wrench	7 Pieces per set Sizes from 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm and 14 mm	N/A	N/A	N/A	1	set(s)
19	Automotive Electrical Assembly NC II	4	Vise grip	7" straight jaw Hard steel	N/A	N/A	N/A	1	pc(s)

y

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
20	Automotive Servicing NC I	1	Socket wrench	1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod	N/A	N/A	N/A	1	pc(s)
20	Automotive Servicing NC I	2	Spark Plug Wrench	1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm)	N/A	N/A	N/A	1	pc(s)
20	Automotive Servicing NC I	3	Feeler Gauge	25 tempered steel blades Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) Blade length: 80 mm Chrome plated Blade is laser etched with Inches and Millimeters	N/A	N/A	N/A	1	pc(s)
20	Automotive Servicing NC I	4	Hydrometer	Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature	N/A	N/A	N/A	1	pc(s)
20	Automotive Servicing NC I	5	Vernier Caliper	Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm	N/A	N/A	N/A	1	pc(s)
20	Automotive Servicing NC I	6	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
20	Automotive Servicing NC I	7	Ball Peen Hammer	 12 oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion 	N/A	N/A	N/A	1	pc(s)
21	Automotive Servicing NC II	1	Battery Tester	Suitable for 6 V & 12 V Batteries Up to 1000 CCA (SAE) 12 V Charging/Start System Shock-resistant ventilated cover Color-coded copper-plated clamps	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
21	Automotive Servicing NC II	2	Soldering Gun	Power: 130W Two optional pre-heat (High/Low) Tips: 4 mm x 65 mm Voltage: AC 220V Pre-heat time: 5-10 minutes Power cable: 1 meter Plug type: Type A Material: ABS Plastic	N/A	N/A	N/A	1	pc(s)
21	Automotive Servicing NC II	3	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
22	Automotive Servicing NC III	1	Piston Ring Compressor	Material: Strong Spring Steel Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm) Height: (3 Inch.) 76.2 mm Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet 1/4 In. Square Drive Adjuster	N/A	N/A	N/A	1	pc(s)
22	Automotive Servicing NC III	2	Valve Lifter / Spring Compressor	Length: 11" All steel sturdy construction with hardened jaws Light weight C-type lifter works as a one hand tool	N/A	N/A	N/A	1	pc(s)
22	Automotive Servicing NC III	3	Gauge Manifold	 2 valves Three (3) hoses high side gauge pressure: 0-500 psig low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerants R-22 and R134-a 1/4 in vacuum port Hose length: 36 inches 2,500 psig burst 	N/A	N/A	N/A	1	set(s)
22	Automotive Servicing NC III	4	Oil Filter Remover (Filter Wrench)	Handle Material: Aluminum Wrench Shaft Length: 14.6 cm/5.7" Chain Total Length: 44.5 cm/17.5" Maximum Usable Length: 38.5 cm For removing all oil filters up to 60-120 mm diameter	N/A	N/A	N/A	1	pc(s)
23	Driving (Passenger Bus/Straight Truck) NC III	1	Floor Jack	3 tons Minimum Height: 130 mm Maximum Lift Height: 300 mm	N/A	N/A	N/A	1	set(s)
23	Driving (Passenger Bus/Straight Truck) NC III	2	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
	Driving (Passenger Bus/Straight Truck) NC III	3	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tlp: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
24	Driving NC II	1	Socket wrench	1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod	N/A	N/A	N/A	1	pc(s)
24	Driving NC II	2	Vise grip	The straight jaw Hard steel	N/A	N/A	N/A	1	pc(s)
24	Driving NC II	3	Tire Inflator	28" air hose 12 volts 300 psi analog pressure gauge plugs-in to cigarette socket electrical cable: 3m	6 months	N/A	YES	1	pc(s)
25	Heavy Equipment Servicing (Mechanical) NC II	1	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
25	Heavy Equipment Servicing (Mechanical) NC II	2	Vise grip	7" straight jaw Hard steel	N/A	N/A	N/A	1	pc(s)
25	Heavy Equipment Servicing (Mechanical) NC II	3	Grease Gun	 Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
25	Heavy Equipment Servicing (Mechanical) NC II	4	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
25	Heavy Equipment Servicing (Mechanical) NC II	5	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
25	Heavy Equipment Servicing (Mechanical) NC II	6	Mechanical plier	 8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers 	N/A	N/A	N/A	1	pc(s)
26	Motorcycle/Small Engine Servicing NC II	1	T-Wrench	4 pcs forged steel with sizes 8-10-12 and 14 mm	N/A	N/A	N/A	1	pc(s)
26	Motorcycle/Small Engine Servicing NC II	2	Spark Plug Wrench	1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm)	N/A	N/A	N/A	1	pc(s)
26	Motorcycle/Small Engine Servicing NC II	3	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
26	Motorcycle/Small Engine Servicing NC II	4	Allen Wrench	22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
26	Motorcycle/Small Engine Servicing NC II	5	Socket wrench	1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	1	Crow Bar	914.4 mm (36") long forged high steel carbon	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	3	Steel Square	Carpenter's framing square; "x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
27	Carpentry NC II	4	Try Square	 Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations 	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	5	Spirit Level Bar	High impact plastic Magnetic 3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	6	Cross Cut Saw	 60 cm (24 inches) long Hard Plastic Handle 8 points per inch Hard steel blade 	N/A	N/A	N/A	1	pc(s)
27	Carpentry NC II	7	Electric Hand Drill	 Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm 	6 months	N/A	N/A	1	pc(s)
27	Carpentry NC II	8	Chalk Line Reel	100 ft. heavy duty die cast body	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	1	Handsaw	20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	2	Dust Masks/Respirator	Half face reusable respirator Gas mask Head harness cradle suspension Lightweight elastomeric material Twin filter, Bayonet fitting connection filter system	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	3	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	5	Screwdriver Set	4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium	N/A	N/A	N/A	1	set(s)
28	Construction Painting NC II	6	Steel Float/Plastering Trowel	0.7 mm min. thick x 280 mm x 125 mm • High carbon Steel Solid forged steel with soft handle	N/A	N/A	N/A	1	pc(s)
28	Construction Painting NC II	7	Spray Gun	400 cc cup/minimum of 50 psi operation pressure 180-250 paint width Gravity type spray	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC II	1		 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC II	3	Pipe Wrench	355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
29	Heavy Equipment Operation [HEO] (Backhoe Loader) NC	6	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	1	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
				● Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)					
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	3	Pipe Wrench	 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw 	N/A	N/A	N/A	1	pc(s)
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	4	Mechanical plier	 8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers 	N/A	N/A	N/A	1	pc(s)
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	5	Vise grip	• 7" straight jaw • Hard steel	N/A	N/A	N/A	1	pc(s)
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	6	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
30	Heavy Equipment Operation [HEO] (Bulldozer) NC II	7	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
31	Heavy Equipment Operation [HEO] (Forklift) NC II	1	Combination Wrench Set		N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
31	Heavy Equipment Operation [HEO] (Forklift) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
31	Heavy Equipment Operation [HEO] (Forklift) NC II	3	Pipe Wrench	355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
31	Heavy Equipment Operation [HEO] (Forklift) NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
31	Heavy Equipment Operation [HEO] (Forklift) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
31	Heavy Equipment Operation [HEO] (Forklift) NC II	6	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	1	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)

4/

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	3	Pipe Wrench	355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	5	Vise grip	7" straight jaw Hard steel	N/A	N/A	N/A	1	pc(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	6	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
32	Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II	7	Grease Gun	 Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use 	N/A	N/A	N/A	1	pc(s)
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	1	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	3	Pipe Wrench	 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw 	N/A	N/A	N/A	1	pc(s)
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
33	Heavy Equipment Operation [HEO] (Motor Grader) NC II	6	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	1	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	3	Pipe Wrench	355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
34	Heavy Equipment Operation [HEO] (On- Highway Dump Truck [Rigid]) NC II	6	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor])	1	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II	3	Adjustable wrench	10 inches (254 mm) lengthForged heat-treated alloy steelChrome finish	N/A	N/A	N/A	1	pc(s)
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II	4	Pipe Wrench	 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw 	N/A	N/A	N/A	1	pc(s)
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
35	Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II	6	Long Nose Plier	Dyna Grip 152 mm/ 6 inches carbon steel	N/A	N/A	N/A	1	pc(s)
	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	1	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
36	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm 	N/A	N/A	N/A	1	set(s)
36	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	3	Pipe Wrench	x 150 mm) • 355.6 mm (14") • Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw • featuring self-cleaning threads • With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
36	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
36	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	5	Grease Gun	Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use	N/A	N/A	N/A	1	pc(s)
36	Heavy Equipment Operation [HEO] (Truck Mounted Crane) NC II	6	Tire Gauge	Heavy Duty Condor type 160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	1	Combination Wrench Set	• 16 pcs • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	2	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	3	Pipe Wrench	355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw	N/A	N/A	N/A	1	pc(s)
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	4	Mechanical plier	 8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers 	N/A	N/A	N/A	1	pc(s)
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	5	Grease Gun	 Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use 	N/A	N/A	N/A	1	pc(s)
37	Heavy Equipment Operation [HEO] (Wheel Loader) NC II	6	Tire Gauge	Heavy Duty Condor type160 psi. pressure capacity	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	1	Chalk Line Reel	100 ft. heavy duty die cast body	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	2	Crow Bar	914.4 mm (36") long forged high steel carbon	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	3	Claw Hammer	 453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle 	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	4	Handsaw	 20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort 	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	5	Pull-Push Rule	 Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
38	Masonry NC I	6	Shovel	Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	7	Try Square	12" length Hard alloy steel with Metric/English system graduation	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	8	Sledge Hammer	4 lbs. forged steel head sledge 15 inches long fiberglass handle	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	9	Spirit Level Bar	 High impact plastic Magnetic 3 vials, 24" length 	N/A	N/A	N/A	1	pc(s)
38	Masonry NC I	10	Straight Edge	6 mm thick x 54 mm wide x 900 mm long aluminum	N/A	N/A	N/A	1	pc(s)
38	Masonry NC	11	Triangular Scale	12" Plastic Architectural Scale Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	1	Crow Bar	914.4 mm (36") long forged high steel carbon	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	2	Claw Hammer	453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	3	Hacksaw with Blade	Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI"	N/A	N/A	N/A	1	set(s)
39	Masonry NC II	4	Hacksaw Blade	12 inches bi-metal hacksaw blade 24 TPI	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	5	Handsaw	20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	6	Paint Brush	50.8 mm (2") Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	7	Paint Brush	 50.8 mm (2") Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments 	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	8	Pull-Push Rule	 Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
39	Masonry NC II	9	Shovel	 Heavy gauge Rectangular Tempered steel blade digging shovel 170 mm blade tip width 220 mm blade tip length With strong Poly D-grip Hardwood handle 	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	10	Spirit Level Bar	 High impact plastic Magnetic 3 vials, 24" length 	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	11	Steel (Bucket/Bricklaying) Pointing Trowel	10" solid forged steel blade	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	12	Steel Float/Plastering Trowel	 0.7 mm min. thick x 280 mm x 125 mm ● High carbon Steel Solid forged steel with soft handle 	N/A	N/A	N/A	1	pc(s)
39	Masonry NC II	13	Steel Square	Carpenter's framing square; "x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	1	Level Hose	6 mm dia. X 20 m long transparent green/clear High Flexibility Plastic PVC level hose	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	2	Hacksaw with Blade	 Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI" 	N/A	N/A	N/A	1	set(s)
40	Masonry NC III	3	Hacksaw Blade	12 inches bi-metal hacksaw blade 24 TPI	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	4	Handsaw	20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	5	Steel Float/Plastering Trowel	• 0.7 mm min. thick x 280 mm x 125 mm • High carbon Steel • Solid forged steel with soft handle	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	6	Steel (Bucket/Bricklaying) Pointing Trowel	Soft duragrip and hard end handle	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	7	Pull-Push Rule	 Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	8	Vise grip	7" straight jaw Hard steel	N/A	N/A	N/A	1 1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
40	Masonry NC III	9	Claw Hammer	453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	10	Try Square	Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	11	Spirit Level Bar	High impact plastic Magnetic 3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	12	Steel Square	Carpenter's framing square; "x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)
40	Masonry NC III	13	Chalk Line Reel	100 ft. heavy duty die cast body	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	1	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	2	File	half round 300 mm long plastic handle	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	3	Welding Gloves	leather heat resistant 17 inches	N/A	N/A	N/A	1	pair(s)
41	Pipefitting NC II	4	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	5	Steel Square	 Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm 	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	6	Claw Hammer	453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	7	Ball Peen Hammer	 12 oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion 	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	8	Hacksaw with Blade	 Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI" 	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
41	Pipefitting NC II	9	Try Square	 Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations 	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	10	Combination Plier	 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards 	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	11	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
41	Pipefitting NC II	12	Spirit Level Bar	High impact plasticMagnetic3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
41	Pipefitting NC II	13	Hard Hat	V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material	N/A	N/A	N/A	1	pc(s)
42	Plumbing NC I	1	Pipe Wrench	 10" length drop forged alloy steel capacity 2" or 50 mm 1.2 kg cast iron housing and I beam handle 	N/A	N/A	N/A	1	pc(s)
42	Plumbing NC I	2	Pipe Wrench	 12" length Drop forged Alloy Steel • capacity 2" or 50 mm 1.6 kg cast iron housing and I beam handle 	N/A	N/A	N/A	1	pc(s)
42	Plumbing NC I	3	Pipe Cutter	Heavy duty max, cap. 1/8" to 2" steel handle	N/A	N/A	N/A	1	pc(s)
42	Plumbing NC I	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
42	Plumbing NC I	5	Pipe Vise	 1/8 - 2" Capacity Hardened alloy steel jaws Yoke and base made of strong & dependable cast iron Convenient pipe rest and bender 	N/A	N/A	N/A	1	pc(s)
43	Plumbing NC II	1	Combination Plier	 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
43	Plumbing NC II	2	Hacksaw with Blade	Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI"	N/A	N/A	N/A	1	set(s)
43	Plumbing NC II	3	Manual Pressure Test (Leak tester)	6 mpa 860 psi max. pressure 12L capacity with brass pump valve	N/A	N/A	N/A	1	pc(s)
43	Plumbing NC II	4	Adjustable wrench	10 inches (254 mm) length Forged heat-treated alloy steel Chrome finish	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	1	Socket Fusion Machine	 20 mm - 32 mm cap 3/4", 1", 1 1/4" and 1 1/2" 220 volts 1,600 watts 	6 months	N/A	YES	1	pc(s)
44	Plumbing NC III	2	Hard Hat	 V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material 	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	3	Flat Screwdriver	10" long magnetic tip chrome vanadium plastic handle	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	4	Philip Screwdriver	10" long magnetic tip chrome vanadium plastic handle	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	5	Mechanical Plier	 plastic dip insulated handle 6" long rush resistant chrome finish two position adjustable joint pliers 	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	6	Adjustable Wrench	0-50.8 mm (0-2") jaw opening 304.8 mm (12") in length alloy steel	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	7	Claw Hammer	Forged high-carbon steel headSmooth face12 ozWooden Handle	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	8	Spirit Level Bar	High impact plasticMagnetic3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
44	Plumbing NC III	9	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
45	PV Systems Installation NC II	1	Digital Clamp Meter	400A/600A AC/DC (max. current measurement) Data Hold/Range Hold Auto power off Low battery prompt	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
45	PV Systems Installation NC II	2	Spirit Level	 Aluminum Frame with Magnet Size: 12" With 3 bubbles	N/A	N/A	N/A	1	pc(s)
45	PV Systems Installation NC II	3	Hacksaw with Blade	 Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI" 	N/A	N/A	N/A	1	set(s)
45	PV Systems Installation NC II	4	Screwdriver Set	 Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 	N/A	N/A	N/A	1	set(s)
45	PV Systems Installation NC II	5	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
46	PV Systems Servicing NC III	1	MC4 Crimper	Crimping Capacity: 2.5 mm2 - 6 mm2Length: 270 mm (10.6")	N/A	N/A	N/A	1	pc(s)
46	PV Systems Servicing NC III	2	Hydrometer	 Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature 	N/A	N/A	N/A	1	pc(s)
46	PV Systems Servicing NC III	3	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
46	PV Systems Servicing NC III	4	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
46	PV Systems Servicing NC III	5	Soldering Iron	30 watts, 220 volts/60hz heat pencil tip	6 months	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
46	PV Systems Servicing NC III	6	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	1	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	2	Bench Vise	Jaw width: 5" Heavy duty Adjustable/swivel steel	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	3	Chalk Line Reel	• 100 ft. heavy duty die cast body	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	4	Hacksaw with Blade	Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI"	N/A	N/A	N/A	1	set(s)
47	Reinforcing Steel Works NC II	5	Spirit Level Bar	High impact plastic Magnetic Jivials, 24" length	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	6	Combination Plier	7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	7	Level Hose	6 mm dia. X 20 m long transparent green/clear High Flexibility Plastic PVC level hose	N/A	N/A	N/A	1	pc(s)
47	Reinforcing Steel Works NC II	8	Hacksaw Blade	12 inches bi-metal hacksaw blade 24 TPI	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	1	Wrench	17 X 19 mm Double Spud Ratchet Wrench Drop Forged metal Steel	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	2	Combination Wrench	To 17mm x 17mm (box & open) drop forged metal steel finches long	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	3	Spirit Level Bar	High impact plastic Magnetic 3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	4	Safety Vest	• high visibility mesh safety vest with silver stripe	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	5	Safety Harness	Double lanyard with shock absorber	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/⊺oolkit	Unit
48	Scaffold Erection NC II	6	Hard Hat	V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material	N/A	N/A	N/A	. 1	pc(s)
48	Scaffold Erection NC II	7	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
48	Scaffold Erection NC II	8	Ball Peen Hammer	12 oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion	N/A	N/A	N/A	1	pc(s)
49	Technical Drafting NC	1	Drawing Board	wooden laminated size: 18 inches x 24 inches	N/A	N/A	N/A	1	pc(s)
49	Technical Drafting NC	2	Compass Set	 divider: 14 cm length pencil compass: 14 cm length adjustable compass: 10 cm length compass extender: 9 cm length 	N/A	N/A	N/A	1	set(s)
49	Technical Drafting NC	3	Triangular Scale	12" Plastic Architectural Scale Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500	N/A	N/A	N/A	1	pc(s)
49	Technical Drafting NC	4	Technical Pen Set	 3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm) 12 hi-polymer HB leads 1 mechanical pencil 1 ink cartridge 1 eraser 	N/A	N/A	N/A	1	pc(s)
49	Technical Drafting NC	5	T - Square	Wooden Drafting T-square 24" length clear plastic edges	N/A	N/A	N/A	1	pc(s)
49	Technical Drafting NC	6	Measuring Tools Set	 Ruler: 30 cm long Triangle: 30 x 60 degrees, 13cm long Triangle: 45 X 45 degrees, 13 cm long Protractor: 12 cm long 	N/A	N/A	N/A	1	set(s)
50	Tile Setting NC II	1	Angle Grinder	Portable 4" capacity 220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
50	Tile Setting NC II	2	Spirit Level Bar	High impact plastic Magnetic 3 vials, 24" length	N/A	N/A	N/A	1	pc(s)
50	Tile Setting NC II	3	Mechanical plier	8 inches length plastic dip insulated handle rush resistant chrome finish two position adjustable joint pliers	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
50	Tile Setting NC II	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)
50	Tile Setting NC II	5	Steel Square	 Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm 	N/A	N/A	N/A	1	pc(s)
50	Tile Setting NC II	6	Try Square	 Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations 	N/A	N/A	N/A	1	pc(s)
50	Tile Setting NC II	7	Rubber Mallet	16 oz (453.6 grams) Wooden Handle	N/A	N/A	N/A	1	pc(s)
50	Tile Setting NC II	8	Steel (Bucket/Bricklaying) Pointing Trowel	10" solid forged steel blade Precision tapered Soft duragrip and hard end handle	N/A	N/A	N/A	1	pc(s)
51	Computer Systems Servicing NC II	1	Crimping Tool	Suitable for: RJ 45 RJ 11 4P 6P 8P	N/A	N/A	N/A	1	pc(s)
51	Computer Systems Servicing NC II	2	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
51	Computer Systems Servicing NC II	3	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)
51	Computer Systems Servicing NC II	4	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)
51	Computer Systems Servicing NC II	5	Allen Wrench	22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
51	Computer Systems Servicing NC II	6	Screwdrivers Set	• 30 in 1 Screwdriver • Philips (+) PH00, PH0, PH1, PH2 • Torx T4, T5, T6, T7, T8, T10, T15, T20 • Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm • Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 • Made of Chrome Vanadium • Soft TPL Handle	N/A	N/A	N/A	1	set(s)
52	Consumer Electronics Servicing NC III	1	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
52	Consumer Electronics Servicing NC III	2	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
52	Consumer Electronics Servicing NC III	3	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
52	Consumer Electronics Servicing NC III	4	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
52	Consumer Electronics Servicing NC III	5	Soldering Iron	30 watts, 220 volts/60hz heat pencil tip	6 months	N/A	N/A	1	pc(s)
52	Consumer Electronics Servicing NC III	6	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)
52	Consumer Electronics Servicing NC III	7	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
52	Consumer Electronics Servicing NC III	8	Screwdriver Set	4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
52	Consumer Electronics Servicing NC III	9	Vernier Caliper	Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm	N/A	N/A	N/A	1	pc(s)
53	Electrical Installation and Maintenance NC II	1	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
53	Electrical Installation and Maintenance NC II	2	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
53	Electrical Installation and Maintenance NC II	3	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
53	Electrical Installation and Maintenance NC II	4	Pipe Bender Manual	1/2-3/4 inch bending radius ductile high strength iron	N/A	N/A	N/A	1	pc(s)
54	Electrical Installation and Maintenance NC III	1	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
54	Electrical Installation and Maintenance NC III	2	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
54	Electrical Installation and Maintenance NC III	3	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
54	Electrical Installation and Maintenance NC III	4	Combination Wrench Set	● 16 pcs ● sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm ● Drop forged alloy steel construction ● Lobular box end design	N/A	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	1	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	2	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	3	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	4	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	5	Soldering Iron	30 watts, 220 volts/60hz heat pencil tip	6 months	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	6	Allen Wrench	22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
55	Electronics Products Assembly and Servicing NC II	7	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)
55	Electronics Products Assembly and Servicing NC II	8	Vernier Caliper	Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
55	Electronics Products Assembly and Servicing NC II	9	Screwdriver Set	4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium	N/A	N/A	N/A	1	set(s)
56	Instrumentation and Control Servicing NC II	1	Crimping Tool	Suitable for: RJ 45 RJ 11 4P 6P 8P	N/A	N/A	N/A	1	pc(s)
56	Instrumentation and Control Servicing NC II	2	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
56	Instrumentation and Control Servicing NC II	3	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
56	Instrumentation and Control Servicing NC II	4	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
56	Instrumentation and Control Servicing NC II	5	Soldering Iron	30 watts, 220 volts/60hz heat pencil tip	6 months	N/A	N/A	1	pc(s)
56	Instrumentation and Control Servicing NC II	6	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
56	Instrumentation and Control Servicing NC II	7	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)
56	Instrumentation and Control Servicing NC II	8	Adjustable wrench	10 inches (254 mm) length Forged heat-treated alloy steel Chrome finish	N/A	N/A	N/A	1	pc(s)
57	Mechatronics Servicing NC II	1	Crimping Tool	Suitable for: RJ 45 RJ 11 4P 6P 8P	N/A	N/A	N/A	1	pc(s)
57	Mechatronics Servicing NC II	2	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
57	Mechatronics Servicing NC II	3	Electrician Plier	Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
57	Mechatronics Servicing NC II	4	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
57	Mechatronics Servicing NC II	5	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)
57	Mechatronics Servicing NC II	6	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
57	Mechatronics Servicing NC II	7	Adjustable wrench	•10 inches (254 mm) length • Forged heat-treated alloy steel • Chrome finish	N/A	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	1		 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	2	Screwdrivers Set	 30 in 1 Screwdriver Philips (+) PH00, PH0, PH1, PH2 Torx T4, T5, T6, T7, T8, T10, T15, T20 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Made of Chrome Vanadium Soft TPL Handle 	N/A	N/A	N/A	1	set(s)

D

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
58	Mechatronics Servicing NC III	3	Soldering Iron	30 watts, 220 volts/60hz heat pencil tip	6 months	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	4	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	5	Wire Stripper	automatic cap. 1.5 mm to 3.5 mm	N/A	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	6	Desoldering Pump/Solder Sucker	anodized aluminum housing high suction strong and lightweight	N/A	N/A	N/A	1	pc(s)
58	Mechatronics Servicing NC III	7	Allen Wrench	◆ 22 pc Hex Key Set: ○.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series ◆ Chrome Vanadium steel	N/A	N/A	N/A	1	set(s)
59	Furniture Making (Finishing) NC II	1	Spray gun	600 cc capacity gravity type Heavy duty Material: Alloy Steel	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	2	Combination Wrench Set	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	3	Pull-Push Rule	 Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	4	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	5	Flat Screwdriver	Size: 203 mm (8") Handle: Plastic and rubberized Tip: Magnetized	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	6	Philip Screwdriver	Size: 203 mm (8") Handle: Plastic and rubberized Tip: Magnetized	N/A	N/A	N/A	1	pc(s)
59	Furniture Making (Finishing) NC II	7	Claw Hammer	 Forged high-carbon steel head Smooth face 12 oz Wooden Handle 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
60	Dressmaking NC II	1	Cutting Shears	8" length stainless steel blade plastic handle	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	2	Meter stick/Yardstick	1 meter (metric and English) yellow plastic	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	3	Scissors	6" length plastic handle for paper	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	4	Screwdriver Set	 precision 6 pieces per set plastic handle 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted 	N/A	N/A	N/A	1	set(s)
60	Dressmaking NC II	5	Spray Bottle	spray plastic clear empty bottle 500 ml hand trigger	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	6	Tape Measure	plastic60" length (English and metric)	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	7	Tracing Wheel	serrated metal wheel plastic handle	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	8	Ruler with Grid	18" length transparent red lines with grid	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	9	French Curve	12" length aluminum for neckline and armhole drawing	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	10	Hip Curve	24" length aluminum	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	11	Tailor's L square	• 24" x 14" length • aluminum	N/A	N/A	N/A	1	pc(s)
60	Dressmaking NC II	12	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
60	Dressmaking NC II	13	Flat iron	electric flat iron any color dry iron 220 volts aluminum sole plate	6 months	N/A	N/A	1	pc(s)
60	Dressmaking NC II	14	Calculator	 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm 	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
61	Tailoring NC II	1	Cutting Shears	8" length stainless steel blade plastic handle	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	2	Pinking Shears	8" length stainless steel blade plastic handle	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	3	Ruler with Grid	18" lengthtransparentred lines with grid	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	4	French Curve	 12" length aluminum for neckline and armhole drawing 	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	5	Hip Curve	24" length aluminum	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	6	Tailor's L square	• 24" x 14" length • aluminum	N/A	N/A	N/A	1	pc(s)
61	Tailoring NC II	7	Steam Flat Iron	 Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector 	6 months	N/A	N/A	1	pc(s)
62	RAC Servicing (PACU/CRE) NC III	1	Gauge Manifold	 2 valves Three (3) hoses high side gauge pressure: 0-500 psig low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerants R-22 and R134-a 1/4 in vacuum port Hose length: 36 inches 2,500 psig burst 	N/A	N/A	N/A	1	set(s)
62	RAC Servicing (PACU/CRE) NC III	2	Multi-Tester	 Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k 	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
63	RAC Servicing (DOMRAC) NC II	1	Flaring Tool	Flaring with swaging tools set Screw type feed Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished Slip on forge steel yoke includes: Flares 1/8", 3/16",1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD	N/A	N/A	N/A	1	set(s)
63	RAC Servicing (DOMRAC) NC II	2	Tube Cutter	 Heavy duty For 1/8 inch to 1 1/8 inches pipe Weight: 0.16 ounces. Dimension: 6.8 x 3.3 x 1.3 inches Materials: High strength zinc alloy with spare cutter wheel on the knob 	N/A	N/A	N/A	1	pc(s)
63	RAC Servicing (DOMRAC) NC II	3	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
63	RAC Servicing (DOMRAC) NC II	4	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
64	Transport RAC Servicing NC II	1	Gauge Manifold	2 valves Three (3) hoses high side gauge pressure: 0-500 psig low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerants R-22 and R134-a 1/4 in vacuum port Hose length: 36 inches 2,500 psig burst	N/A	N/A	N/A	1	set(s)
64	Transport RAC Servicing NC II	2	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
65	Caregiving NC II	1	Sphygmomanometer	Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case	N/A	N/A	N/A	1	pc(s)
65	Caregiving NC II	2	Stethoscope	Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim	N/A	N/A	N/A	1	pc(s)
66	Health Care Services NC II	1	Sphygmomanometer	 Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case 	N/A	N/A	N/A	1	pc(s)
66	Health Care Services NC II	2	Stethoscope	Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim	N/A	N/A	N/A	1	pc(s)
67	Hilot (Wellness Massage) NC II	1	Sphygmomanometer	Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case	N/A	N/A	N/A	1	pc(s)
67	Hilot (Wellness Massage) NC II	2	Stethoscope	 Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
68	Massage Therapy NC	1	Sphygmomanometer	Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case	N/A	N/A	N/A	1	pc(s)
68	Massage Therapy NC	2	Stethoscope	 Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim 	N/A	N/A	N/A	1	pc(s)
69	2D Animation NC III	1	Digitizing Pen and Tablet	 connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb 	1 year	N/A	YES	1	set(s)
70	3D Animation NC III	1	Digitizing Pen and Tablet	connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb	1 year	N/A	YES	1	set(s)
71	Contact Center Services NC II	1	Tablet	Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot	1 year	N/A	N/A	1	set(s)
71	Contact Center Services NC II	2	Headphone with Mic	with noise cancelling microphone connection: usb type	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
72	Game Programming NC III	1	Digitizing Pen and Tablet	connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb	1 year	N/A	YES	1	set(s)
73	Medical Transcription NC II	1	Tablet	 Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot 	1 year	N/A	N/A	1	set(s)
73	Medical Transcription NC II	2	Headphone with Mic	with noise cancelling microphone connection: usb type	N/A	N/A	N/A	1	set(s)
74	Visual Graphic Design NC III	1	Digitizing Pen and Tablet	 connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb 	1 year	N/A	YES	1	set(s)
75	CNC Lathe Machine Operation NC II	1	Outside Micrometer Caliper	Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm	N/A	N/A	YES	1	pc(s)
75	CNC Lathe Machine Operation NC II	2	Allen Wrench Keys	Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm	N/A	N/A	N/A	1	set(s)
75	CNC Lathe Machine Operation NC II	3	Letter and Number Punch	Hardened Steel	N/A	N/A	N/A	1	set(s)
75	CNC Lathe Machine Operation NC II	4	Digital Vernier Caliper	Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long	6 months	N/A	YES	1	pc(s)
75	CNC Lathe Machine Operation NC II	5	Combination Square	Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle)	N/A	N/A	N/A	1	pc(s)
75	CNC Lathe Machine Operation NC II	6	Screw Pitch Gauge	4 to 56 TPI (Teeth per inch) Range: 0.5 mm to 6 mm 28 Leaves	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
76	CNC Milling Machine Operation NC II	1	Outside Micrometer Caliper	Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm	N/A	N/A	YES	1	pc(s)
76	CNC Milling Machine Operation NC II	2	Allen Wrench Keys	 Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm 	N/A	N/A	N/A	1	set(s)
76	CNC Milling Machine Operation NC II	3	Letter and Number Punch	Hardened Steel 36pcs 4 mm height (letter and number)	N/A	N/A	N/A	1	set(s)
76	CNC Milling Machine Operation NC II	4	Digital Vernier Caliper	 Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long 	6 months	N/A	YES	1	pc(s)
76	CNC Milling Machine Operation NC II	5	Combination Square	 Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) 	N/A	N/A	N/A	1	pc(s)
76	CNC Milling Machine Operation NC II	6	Screw Pitch Gauge	4 to 56 TPI (Teeth per inch) Range: 0.5 mm to 6 mm 28 Leaves	N/A	N/A	N/A	1	pc(s)
77	CNC Milling Machine Operation NC III	1	Digital Outside Micrometer Caliper	LCD Digimatic Resolution: 0.001mm Range: 0-25 mm	6 months	N/A	YES	1	pc(s)
77	CNC Milling Machine Operation NC III	2	Tap and Die	 Alloy Steel Metric 20 pcs Threads Sizes: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.5, M12 x 1.75 	N/A	N/A	N/A	1	set(s)
77	CNC Milling Machine Operation NC III	3	Vernier Caliper	Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm	N/A	N/A	N/A	1	pc(s)
78	Flux-Cored Arc Welding (FCAW) NC I	1	Welding Jacket	leather heat resistant	N/A	N/A	N/A	1	pc(s)
78	Flux-Cored Arc Welding (FCAW) NC I	2	Welding Gloves	leather heat resistant 17 inches	N/A	N/A	N/A	1	pair(s)
78	Flux-Cored Arc Welding (FCAW) NC I	3	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
78	Flux-Cored Arc Welding (FCAW) NC I	4	Hacksaw with Blade	 Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI" 	N/A	N/A	N/A	1	set(s)
78	Flux-Cored Arc Welding (FCAW) NC I	5	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
	Flux-Cored Arc Welding (FCAW) NC I	6	Try Square	Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations	N/A	N/A	N/A	1	pc(s)
/X	Flux-Cored Arc Welding (FCAW) NC I	7	Welding Mask	Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11	N/A	N/A	N/A	1	pc(s)
78	Flux-Cored Arc Welding (FCAW) NC I	8	Angle Grinder	Portable 4" capacity 220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
	Flux-Cored Arc Welding (FCAW) NC II	1	File	half round 300 mm long plastic handle	N/A	N/A	N/A	1	pc(s)
79	Flux-Cored Arc Welding (FCAW) NC II	2	Ball Peen Hammer	Head Weight: 16oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion"	N/A	N/A	N/A	1	pc(s)
	Flux-Cored Arc Welding (FCAW) NC II	3	Vise Grip	10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8"	N/A	N/A	N/A	1	pc(s)
79	Flux-Cored Arc Welding (FCAW) NC II	4	Steel Square	Carpenter's framing square; "x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)
/u	Flux-Cored Arc Welding (FCAW) NC II	5	Auto-Darkening Welding Helmet	Power supply: Battery and solar powered Light shade: DIN9-13 Dark Shade: DIN4 Way to shift dark state: Outer Control, Stepless shift Switching time: 1/25000s Delay time: 0.1~0.8s Sensitivity adjustment: Stepless control Delay adjustment: Stepless control Operation temperature: -5 degrees ~ 55 degrees Active viewing area: 93mmx43mm	6 months	N/A	N/A	1	pc(s)
79	Flux-Cored Arc Welding (FCAW) NC II	. 6	Chisel	cold3/4 in X 6-7/8 inforged steel	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	1	Welding Jacket	leather heat resistant	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	2	File	half round 300 mm long plastic handle	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	3	Welding Gloves	leather heat resistant 17 inches	N/A	N/A	N/A	1	pair(s)



Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
80	Gas Metal Arc Welding (GMAW) NC I	4	Hacksaw with Blade	Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI"	N/A	N/A	N/A	1	set(s)
80	Gas Metal Arc Welding (GMAW) NC I	5	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	6	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	7	Welding Mask	Plip Front Welding Helmet Impact-resistant polypropylene material Adjustable fit 4 1/2" x 2" view area with lens #11	N/A	N/A	N/A	1	pc(s)
80	Gas Metal Arc Welding (GMAW) NC I	8	Angle Grinder	Portable4" capacity220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	1	Hard Hat	 V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material 	N/A	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	2	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	3	Vise Grip	10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8"	N/A	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	. 4	Try Square	 Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations 	N/A	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	5	Chisel	cold3/4 in X 6-7/8 inforged steel	N/A	N/A	N/A	1	pc(s)
81	Gas Metal Arc Welding (GMAW) NC II	6	File	round bastard cut 300 mm long plastic handle	N/A	N/A	N/A	1	pc(s)

	T		1					-	
Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
81	Gas Metal Arc Welding (GMAW) NC II	7	Auto-Darkening Welding Helmet	Power supply: Battery and solar powered Light shade: DIN9-13 Dark Shade: DIN4 Way to shift dark state: Outer Control, Stepless shift Switching time: 1/25000s Delay time: 0.1~0.8s Sensitivity adjustment: Stepless control Delay adjustment: Stepless control Operation temperature: -5 degrees ~ 55 degrees Active viewing area: 93mmx43mm	6 months	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	1	Oxy-acetylene Goggles	Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness	N/A	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	2	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	3	Ball Peen Hammer	Head Weight: 16oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion"	N/A	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	4	Auto-Darkening Welding Helmet	 Power supply: Battery and solar powered Light shade: DIN9-13 Dark Shade: DIN4 Way to shift dark state: Outer Control, Stepless shift Switching time: 1/25000s Delay time: 0.1~0.8s Sensitivity adjustment: Stepless control Delay adjustment: Stepless control Operation temperature: -5 degrees ~ 55 degrees Active viewing area: 93mmx43mm 	6 months	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	5	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
82	Gas Metal Arc Welding (GMAW) NC III	6	Welding Jacket	leather heat resistant	N/A	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	1	Welding Jacket	leather heat resistant	N/A	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	2	File	 half round 300 mm long plastic handle 	N/A	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	3	Angle Grinder	Portable 4" capacity 220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	4	Welding Gloves	leatherheat resistant17 inches	N/A	N/A	N/A	1	pair(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
83	Gas Tungsten Arc Welding (GTAW) NC II	5	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	6	Vise Grip	10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8"	N/A	N/A	N/A	1	pc(s)
83	Gas Tungsten Arc Welding (GTAW) NC II	7	Welding Mask	Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	1	File	half round300 mm longplastic handle	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	2	Angle Grinder	Portable 4" capacity 220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
84	Gas Welding NC II	3	Oxy-acetylene Goggles	Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	4	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	5	Vise Grip	10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8"	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	6	Steel Brush	Stainless steel wooden handle 10 inches long	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	7	Steel Square	Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	8	Diagonal Cutting Plier	Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped	N/A	N/A	N/A	1	pc(s)
84	Gas Welding NC II	9	Welding Gloves	leatherheat resistant17 inches	N/A	N/A	N/A	1	pair(s)
85	Machining NC I	1	Adjustable wrench	10 inches (254 mm) length Forged heat-treated alloy steel Chrome finish	N/A	N/A	N/A	1	pc(s)
85	Machining NC I	2	Hacksaw with Blade	 Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches bi-metal hacksaw blade 24 TPI" 	N/A	N/A	N/A	1	set(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
85	Machining NC I	3	Screwdriver Set	 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium 	N/A	N/A	N/A	1	set(s)
85	Machining NC I	4	Vernier Caliper	 Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm 	N/A	N/A	N/A	1	pc(s)
85	Machining NC I	5	Combination Wrench Set	 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 	N/A	N/A	N/A	1	pc(s)
85	Machining NC I	6	Allen Wrench Keys	 Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm 	N/A	N/A	N/A	1	set(s)
85	Machining NC I	7	Combination Square	Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle)	N/A	N/A	N/A	1	pc(s)
86	Machining NC II	1	Outside Micrometer Caliper	Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm	N/A	N/A	YES	1	pc(s)
86	Machining NC II	2	Vernier Caliper	 Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) (6 inches) 150 mm Least Count = 0.02 mm 	N/A	N/A	N/A	1	pc(s)
86	Machining NC II	3	Letter and Number Punch	Hardened Steel36pcs4 mm height (letter and number)	N/A	N/A	N/A	1	set(s)
86	Machining NC II	4	Digital Vernier Caliper	Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long	6 months	N/A	YES	1	pc(s)
87	Machining NC III	1	Digital Outside Micrometer Caliper	LCD Digimatic Resolution: 0.001mm Range: 0-25 mm	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
87	Machining NC III	2	Tap and Die	 Alloy Steel Metric 20 pcs Threads Sizes: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.5, M12 x 1.75 	N/A	N/A	N/A	1	set(s)
87	Machining NC III	3	Allen Wrench Keys	Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm	N/A	N/A	N/A	1	set(s)
87	Machining NC III	4	Combination Square	 Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) 	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	1	Welding Gloves	leatherheat resistant17 inches	N/A	N/A	N/A	1	pair(s)
88	Shielded Metal Arc Welding (SMAW) NC I	2	Chipping Hammer	300 mm long wood handle	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	3	Vise Grip	10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8"	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	4	Safety Goggles	Plastic Clear Elastic Strap	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	5	Oxy-acetylene Goggles	Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	6	Try Square	 Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations 	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	7	Welding Mask	 Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 	N/A	N/A	N/A	1	pc(s)
88	Shielded Metal Arc Welding (SMAW) NC I	8	Angle Grinder	Portable4" capacity220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
89	Shielded Metal Arc Welding (SMAW) NC II	1	Welding Jacket	leather heat resistant	N/A	N/A	N/A	1	pc(s)
89	Shielded Metal Arc Welding (SMAW) NC II	2	Ball Peen Hammer	Head Weight : 16oz Drop forged carbon steel head Handle material: Fiber glass with rubberized cushion"	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
89	Shielded Metal Arc Welding (SMAW) NC II	3	Steel Square	Carpenter's framing square; "x 16" x 24" Steel Double graduation inches/cm	N/A	N/A	N/A	1	pc(s)
89	Shielded Metal Arc Welding (SMAW) NC II	4	Chisel	cold 3/4 in X 6-7/8 in forged steel	N/A	N/A	N/A	1	pc(s)
89	Shielded Metal Arc Welding (SMAW) NC II	5	Hard Hat	yellow ball-cap style hard hat 6 point ratchet type headgear 2 point chin strap and V-rib on top polyethylene material	N/A	N/A	N/A	1	pc(s)
89	Shielded Metal Arc Welding (SMAW) NC II	6	Auto-Darkening Welding Helmet	Power supply: Battery and solar powered Light shade: DIN9-13 Dark Shade: DIN4 Way to shift dark state: Outer Control, Stepless shift Switching time: 1/25000s Delay time: 0.1~0.8s Sensitivity adjustment: Stepless control Delay adjustment: Stepless control Operation temperature: -5 degrees ~ 55 degrees Active viewing area: 93mmx43mm	6 months	N/A	N/A	1	pc(s)
90	Shielded Metal Arc Welding (SMAW) NC	1	Angle Grinder	Portable 4" capacity 220 Volts/60 Hz	6 months	N/A	N/A	1	pc(s)
90	Shielded Metal Arc Welding (SMAW) NC	2	Auto-Darkening Welding Helmet	Power supply: Battery and solar powered Light shade: DIN9-13 Dark Shade: DIN4 Way to shift dark state: Outer Control, Stepless shift Switching time: 1/25000s Delay time: 0.1~0.8s Sensitivity adjustment: Stepless control Delay adjustment: Stepless control Operation temperature: -5 degrees ~ 55 degrees Active viewing area: 93mmx43mm	6 months	N/A	N/A	1	pc(s)
91	Food Processing NC II	1	Food Tongs	stainless steel 12 inches long with wide shell head with locking	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	2	Paring Knife	high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	3	Chef's Knife	high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
91	Food Processing NC II	4	Measuring Spoon	 stainless steel 4 pieces per set (1 tbsp,1 tsp,1/2 tsp and 1/4 tsp) 	N/A	N/A	N/A	1	set(s)
91	Food Processing NC II	5	Measuring Cup	 Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 	N/A	N/A	N/A	1	set(s)
91	Food Processing NC II	6	Mixing bowl	Stainless steel 8" diameter 5 guart capacity	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	7	Colander	Stainless steel Medium Size 8 quarts capacity with base	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	8	Honing Bar	stainless steel 10-inch length	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	9	Saucepan	material: stainless capacity: 1.5 liter with lid cover	N/A	N/A	N/A	1	pc(s)
91	Food Processing NC II	10	Casserole	Material: Stainless Stainless Cover with plastic handle Capacity: 3L	N/A	N/A	N/A	1	set(s)
92	Beauty Care NC II	1	Hair Blower	Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz	N/A	N/A	N/A	1	pc(s)
92	Beauty Care NC II	2	Haircutting Scissor	Stainless steel Sharp cutting edge 19.05 cm long	N/A	N/A	N/A	1	pc(s)
92	Beauty Care NC II	3	Protective Cape	Water Proof Nylon Black	N/A	N/A	N/A	1	pc(s)
92	Beauty Care NC II	4	Hair Straightener Flat Iron	Material: Ceramics Temperature setting High	6 months	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	1	Cuticle Nail Pusher	Material: Stainless steel Two end with two different tools Dimension:10.6 cm x 0.63 cm	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	2	Cuticle Nipper	 Material: stainless steel tip handed grip ultra fine, surgical quality size: 1/2 jaw single spring Dimension: 10.16 cm x 0.94 cm x 0.07 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	3	Finger Nail Bowl	5-finger mold Plastic Dimension: 17.5 cm x 12.4 cm x 4.8 cm	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	4	Hand Nail Cutter	Stainless Steel double side swing out nail file Ergonomic Design Dimension: 5.08 cm x 0.6 cm	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
93	Beauty Care Services (Nail Care) NC II	5	Nail File	plastic handle double sided abrasive Dimension: 1 cm x 5 cm x 0.8 cm	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	6	Nail Buffer	 Durable sand paper, soft sponge Dimension: 9 cm x 3.6 cm x 2.6 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	7	Foot File	 Hard skin remover Wooden handle with double sided foot rasp Dimension: 26.0 cm x 6.0 cm x 1.4 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	8	Cuticle Scissor	 Stainless Steel Extra fine point Dimension: 1.7 cm x 7.62 cm x 0.89 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	9	Callous Remover	 Plastic handle Stainless blade Extra blade Dimension: 14.9 cm x 2.6 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	10	Pumice Stone	 100% volcanic stone excellent for scrubbing dry Anti- bacterial for removing dead skin Dimension: 10 cm x 7 cm x 2 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	11	Manicure Nail brush	 plastic nail brush soft nylon brush Dimension: 6.35 cm x 3.93 cm x 1.57 cm 	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	12	Foot spa Machine	foot detox machine With heater adjustment, bubble massage depth: 14 cm width: 38 cm length: 40 cm 220-240 V/50 Hz	N/A	N/A	N/A	1	pc(s)
93	Beauty Care Services (Nail Care) NC II	13	Hand spa Machine	Thermostatically - controlled heating unit In the length: 24 cm width: 17.5 cm depth: 9 cm 220-240 V/50 Hz	6 months	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	1	Scientific Calculator	STAT DATA Editor 240 functions 12 digit x two-line display Battery and solar powered Hard Slide Case	6 months	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	2	Stapler	 with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets 	N/A	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	3	Pencil Sharpener	table mounted manually operated with pen crumbs visible container pencil lock hole	N/A	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	4	Stainless Ruler	Stainless Steel Double sided ruler cm/inches Conversion table on the back side laser engraved lines 30 cm	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
94	Bookkeeping NC III	5		Capacity: 64 GB Compatibility: USB 3.0	N/A	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	6	A4 Paper Pockets File Folder	 Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm 	N/A	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	7		 two hole punch Dimension: 15 (L) x 8.5 (W) x 11.5 (H) cm punches up to 20 sheets with sliding ruler 	N/A	N/A	N/A	1	pc(s)
94	Bookkeeping NC III	8	Accordion File Organizer	 Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches 	N/A	N/A	N/A	1	pc(s)
95	Domestic Work NC II	1	Knives	Set of 6 (stainless steel blade with plastic black handle) Set includes: - 8" long, Chef's knife - 8" long, serrated knife - 8" long, slicing knife - 5" long, utility knife - 3.5" long, paring knife - stainless steel block box	N/A	N/A	N/A	1	set(s)
95	Domestic Work NC II	2	Vacuum Cleaner	 Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories 	N/A	N/A	N/A	1	pc(s)
95	Domestic Work NC II	3	Steam Flat Iron	 Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector 	6 months	N/A	N/A	1	pc(s)
96	Hairdressing NC II	1	Haircutting Scissor	Stainless steel Sharp cutting edge 19.05 cm long	N/A	N/A	N/A	1	pc(s)
96	Hairdressing NC II	2	Hair Blower	Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz	N/A	N/A	N/A	1	pc(s)
96	Hairdressing NC II	3	Hair Straightener Flat Iron	 Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 60 Hz Dimension: 37 x 16 x 6 cm 	6 months	N/A	N/A	1	pc(s)
97	Security Services NC I	1	Security Belt	 Fit about 80-105 cm waist circumference Length: Approx. 100-135 cm/39.3-53.14 inch Width: Approx. 4-5 cm/1.57-1.96 inch Comes with flashlight pouch, piston pouch, map pouch, utility pouch 	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
97	Security Services NC I	2	Flashlight	6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case With stun gun	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	3	Night Stick	US made 18.5 inches long Wooden night stick with thong	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	4	Whistle	Nickel - plated 59.5 (medium) whistleHigh pitch	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	5	Lanyard	Silk plain strap, navy blue color	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	6	Security Guard Cap	Navy blue, pershing cap with 8 corners and mesh cap With adjustable head strap	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	7	Traffic Vest	 reflective and made of polyester material Size: chest-58 cm, body length-69 cm (large size) 	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	8	Traffic Gloves	 Reflectorized plastic Pair, 1 x orange 1 x yellow durable in all weather conditions 	N/A	N/A	N/A	1	pair(s)
97	Security Services NC I	9	Hand Cuff	Standard nickel police double lock handcuffs	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	10	Search Light	 High - 500 Lumens/ Low - 50 Lumens Impact and weather resistant Anodized aerospace aluminum construction 5 mode electronic switch settings (high, low, red safety flasher, rescue beacon and OFF) Waterproof 4 "AA" rechargeable batteries With complete accessories (battery charger and hand strap) 	N/A	N/A	N/A	1	pc(s)
97	Security Services NC I	11	Binocular	Magnification of 20x50 Apperture: 50 mm Size: 180x180x60 mm Ultra high resolution	N/A	N/A	N/A	1	pc(s)
98	Security Services NC II	1	Baton	 Expandable steel baton Expands to 16" and closed length of 7" Black finish steel body with rubber handle for firm grip With weight of 0.95 lbs 	N/A	N/A	N/A	1	pc(s)
98	Security Services NC II	2	Megaphone	 2 modes: talk and siren Dimensions: 9" diameter x 13.75 inch long Powered by eight (8) rechargeable "C" batteries Range up to one mile With complete accessories (battery charger and hand strap) 	N/A	N/A	N/A	1	pc(s)
98	Security Services NC II	3	Metal Detector	 Dimension: 17 x 4 x 2 inches 1.45 lbs weight Batteries: 1 9V battery With rechargeable battery and charger Low battery voltage (7V) Controlled sound and vibration 	6 months	N/A	YES	1	pc(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
98	Security Services NC II	4	Cloth	3 yards US Gabardine cloth Color: navy blue	N/A	N/A	N/A	1	pc(s)
98	Security Services NC II	5	Cloth	3 yards US Gabardine cloth Color: navy blue	N/A	N/A	N/A	1	pc(s)
99	Barista NC II	1	French Press/Coffee Plunger	 350 ml capacity 6.8 x 17 cm glass French press plastic black handle 	N/A	N/A	N/A	1	pc(s)
99	Barista NC II	2	Whip Cream Dispenser	 500 ml capacity dispenser with nozzles and brush aluminum body 	N/A	N/A	N/A	1	pc(s)
99	Barista NC II	3	Steaming Pitcher	 350 ml capacity approximate size: 9 x 6.5 x 9 cm stainless steel approximate weight: 178 g 	N/A	N/A	N/A	1	pc(s)
99	Barista NC II	4	Coffee Thermometer	Stainless steel dial pointer thermometer with a measuring range of 10°C - 110°C Measures 12.5 L x 4.2 D cm, color silver	N/A	N/A	N/A	1	pc(s)
99	Barista NC II	5	Cocktail Shaker	350 ml capacitystainless steelSize (cm): 25 in L x 5 in W x 16 in H	N/A	N/A	N/A	1	pc(s)
100	Bartending NC II	1	Cocktail Shaker	 350 ml capacity stainless steel Size (cm): 25 in L x 5 in W x 16 in H 	N/A	N/A	N/A	1	pc(s)
100	Bartending NC II	2	Paring Knife	 high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled 	N/A	N/A	N/A	1	pc(s)
100	Bartending NC II	3	Corkscrew/ Waiter's Friend	measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener	N/A	N/A	N/A	1	pc(s)
100	Bartending NC II	4	Blender/Osterizer	8 speed with pulse 500 watts, 220 volts, 60 hertz stainless steel, ice crusher blade glass jar with cover	6 months	N/A	N/A	1	set(s)
100	Bartending NC II	5	Flair Bottle	 measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm yellow color hard plastic 	N/A	N/A	N/A	1	pc(s)
100	Bartending NC II	6	Ice Pick	measures: 21.5 cm long stainless steel pick with wooden handle 9 cm long	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
101	Bread and Pastry Production NC II	1	Spatula	 Stainless steel straight blade Plastic handle 3 cm blade width 25.4 cm blade length 12.7 cm handle length Round edges 	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	2	Decorating tips	 Stainless steel 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) 3 cm height Opening range: 1.27 cm 	N/A	N/A	N/A	1	set(s)
101	Bread and Pastry Production NC II	3	Flour sifter	Stainless steel mesh flour strainer 12" diameter	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	4	Measuring Cup	Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)	N/A	N/A	N/A	1	set(s)
101	Bread and Pastry Production NC II	5	Mixing bowl	Stainless steel B' diameter S quart capacity	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	6	Piping bags	 12 inches lightweight reusable flexible polyester coated, can be boiled dishwasher safe 	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	7	Wire whisk	Stainless steel 12 inches balloon style	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	8	Bread knife	Length: 8" serrated edge stain-free high-carbon steel blade polypropylene straight handle	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	9	Digital Weighing Scale	LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms	6 months	N/A	YES	1	pc(s)
101	Bread and Pastry Production NC II	10	Muffin pan	12 holes 3 oz. capacity per hole aluminum	N/A	N/A	N/A	1	pc(s)
101	Bread and Pastry Production NC II	11	Cheese Grater	Stainless steel Box grater with handle 20.9 x 8.5 x 6.1 cm Small and large holes	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
101	Bread and Pastry Production NC II	12	Chef's Knife	high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle	N/A	N/A	N/A	1	pc(s)
102	Commercial Cooking NC III	1	Carving Knife	 high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle 	N/A	N/A	N/A	1	pc(s)
102	Commercial Cooking NC III	2	Chef's Knife	high carbon stainless steel sharp cutting edge 10-inch blade length	N/A	N/A	N/A	1	pc(s)
102	Commercial Cooking NC III	3	Knife Bag	8-knife pockets Nylon fabric with zipper PVC backing	N/A	N/A	N/A	1	pc(s)
102	Commercial Cooking NC III	4	Paring Knife	high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled	N/A	N/A	N/A	1	pc(s)
103	Cookery NC II	1	Chef's Knife	high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle	N/A	N/A	N/A	1	pc(s)
103	Cookery NC II	2	Food Tongs	stainless steel 12 inches long with wide shell head with locking	N/A	N/A	N/A	1	pc(s)
103	Cookery NC II	3	Digital Weighing Scale	LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms	6 months	N/A	YES	1	pc(s)
103	Cookery NC II	4	Honing Bar	stainless steel 10-inch length	N/A	N/A	N/A	1	pc(s)
103	Cookery NC II	5	Measuring Cup	Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)	N/A	N/A	N/A	1	set(s)
103	Cookery NC II	6	Measuring Spoon	stainless steel4 pieces per set(1 tbsp,1 tsp,1/2 tsp and 1/4 tsp)	N/A	N/A	N/A	1	set(s)
103	Cookery NC II	7	Saucepan	material: stainless capacity: 1.5 liter with lid cover	N/A	N/A	N/A	1	pc(s)
103	Cookery NC II	8	Casserole	Material: Stainless Stainless Cover with plastic handle Capacity: 3L	N/A	N/A	N/A	1	set(s)
104	Food and Beverage Services NC II	1	Corkscrew/ Waiter's Friend	measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener	N/A	N/A	N/A	1	pc(s)
104	Food and Beverage Services NC II	2	Linen/Skirting Cloth	10 yards (double width) skirting cloth satin (any color)	N/A	N/A	N/A	1	pc(s)

Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
104	Food and Beverage Services NC II	3	Tablet	 Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot 	1 year	N/A	N/A	1	set(s)
105	Food and Beverage Services NC III	1	Knives	Set of 6 (stainless steel blade with plastic black handle) Set includes: 8" long, Chef's knife 8" long, serrated knife 8" long, slicing knife 5" long, utility knife 3.5" long, paring knife stainless steel block box	N/A	N/A	N/A	1	set(s)
105	Food and Beverage Services NC III	2	Frying Pan	26 cm non-stick pan with bakelite handle aluminum body	N/A	N/A	N/A	1	pc(s)
105	Food and Beverage Services NC III	3	Portable Gas Stove	Portable indoor/outdoor gas stove ceramic enamel-coated drip pan	N/A	N/A	N/A	1	pc(s)
105	Food and Beverage Services NC III	4	Serving Spoon	stainless steel serving spoon 8 inches in length	N/A	N/A	N/A	1	pc(s)
105	Food and Beverage Services NC III	5	Serving Fork	4 prong stainless steel serving fork 8 inches in length	N/A	N/A	N/A	1	pc(s)
105	Food and Beverage Services NC III	6	Carving Knife	high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle	N/A	N/A	N/A	1	pc(s)
105	Food and Beverage Services NC III	7	Calculator	 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm 	6 months	N/A	YES	1	pc(s)
105	Food and Beverage Services NC III	8	Accordion File Organizer	Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches	N/A	N/A	N/A	1	pc(s)
106	Front Office Services NCII	1	Calculator	12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm	6 months	N/A	YES	1	pc(s)

Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
106	Front Office Services NCII	2	Flash drive	Capacity: 64 GB Compatibility: USB 3.0	N/A	N/A	N/A	1	pc(s)
106	Front Office Services NCII	3	Portable Amplifier	 Power Output: 30 W Mode: USB/MP3/FM Charger Voltage:10V 450 mA AC/DC with headset and lapel microphone 	6 months	N/A	YES	1	pc(s)
106	Front Office Services NCII	4	Fake Bills Detector	 Voltage: 220V 50Hz-60Hz Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" Fluorescent UV blue lamp 4w On/Off Button 	N/A	N/A	N/A	1	pc(s)
106	Front Office Services NCII	5	Stapler	 with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets 	N/A	N/A	N/A	1	pc(s)
106	Front Office Services NCII	6	A4 Paper Pockets File Folder	Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm	N/A	N/A	N/A	1	pc(s)
106	Front Office Services NCII	7	Accordion File Organizer	Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches	N/A	N/A	N/A	1	pc(s)
107	Housekeeping NC II	1	Flashlight	6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case With stun gun	N/A	N/A	N/A	1	pc(s)
107	Housekeeping NC II	2	Steam Flat Iron	Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector	6 months	N/A	N/A	1	pc(s)
107	Housekeeping NC II	3	Vacuum Cleaner	 Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories 	N/A	N/A	N/A	1	pc(s)
108	Housekeeping NC III	1	Long Nose Plier	Overall Length: 8" Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
108	Housekeeping NC III	2	Electrician Plier	Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped	N/A	N/A	N/A	1	pc(s)
108	Housekeeping NC III	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	N/A	N/A	N/A	1	pc(s)



Lot No.	Qualification	Item No.	Item	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
108	Housekeeping NC III	4	Tablet	 Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot 	1 year	N/A	N/A	1	set(s)
108	Housekeeping NC III	5	Screwdriver Set	4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium	N/A	N/A	N/A	1	set(s)
109	Travel Services NC II	1	Tablet	 Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot 	1 year	N/A	N/A	1	set(s)
109	Travel Services NC II	2	Flash drive	Capacity: 64 GB Compatibility: USB 3.0	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	1	Extension Cord	with individual power switch • 6-gang 1.83 meters cord length • 2500 W 10A 250 V	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	2	Stapler	 with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets 	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	3	Pencil Sharpener	table mounted manually operated with pen crumbs visible container pencil lock hole	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	4	Packaging Tape Dispenser	 hard plastic finish with a hand brake mechanism 3 core tapes, tape 2 inches wide 1 tape included 	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	5	Portable Amplifier	Power Output: 30 W Mode: USB/MP3/FM Charger Voltage:10V 450 mA AC/DC with headset and lapel microphone	6 months	N/A	YES	1	pc(s)



Lot No.	Qualification	Item No.	ltem	Agency Specifications	Warranty	Training	Manual	No. of Items/Toolkit	Unit
110	Customer Services NC	6		Capacity: 64 GBCompatibility: USB 3.0	N/A	N/A	N/A	1	pc(s)
110	Customer Services NC	7	Puncher	 two hole punch Dimension: 15 (L) x 8.5 (W) x 11.5 (H) cm punches up to 20 sheets with sliding ruler 	N/A	N/A	N/A	1	pc(s)